


KEY



TREE



SECTION OF PIPELINE TO BE EXCAVATED BY HAND (SEE NOTES BELOW)



ROOT PROTECTION AREA



TREE TO BE REMOVED

NOTES:

- Excavation of the tailrace pipe trench with the RPAs is unavoidable.
- To prevent damage to tree roots, the trench will be manually excavated to a depth of approx. 0.5m and the exposed tree roots will be root-balled.
- Careful mechanical excavation will then be required to achieve the correct trench depth, taking care to work in the vicinity of existing Scottish Water infrastructure.

0	Original Drawing Issue	WB	NF	25.10.13
Iss	Description	Drawn	CHK'd	Date

Client	BROADLAND RENEWABLE CONSTRUCTION Ltd
--------	--------------------------------------

Project Title	DONICH WATER
---------------	--------------

Drawing Title	TREES AT POWERHOUSE
---------------	---------------------

Hydroplan Water & power engineering Unit 12, Riverside Park, Station Road Wimborne, Dorset, BH21 1QU, ENGLAND Tel: ++44 (0)1202 886622 Fax: ++44 (0)1202 886509 Email: info@hydroplan.co.uk

Copyright - This drawing is sent to you in confidence, and remains the property of Hydroplan UK. It must not be copied or disclosed to third parties without permission.	© 2013
--	--------

Scale Bar 0m 5 10 15 20 25

Scale 1:500	Prints from this drawing are UNCONTROLLED unless otherwise indicated	Original Size A3
Project No P626	Drawing No 10116	Issue 0